–	811	((713/155,164,168,169,170,202).ccls.) and password and (@ad<20010226 or @rlad<20001226 or @prad<200010226)	USPAT	2004/06/24 12:58
–	3294	(@ad<20010226 or @rlad<20001226 or @prad<200010226) and (password with (record$3 or replay or capture$2 or steal$3 or stolen or protect$3))	USPAT	2004/06/24 14:13
–	3294	(@ad<20010226 or @rlad<20001226 or @prad<200010226) and(password with (record$3 or replay or capture$2 or steal$3 or stolen or protect$3 or trojan))	USPAT	2004/06/24 14:13
–	1690	(@ad<20010226 or @rlad<20001226 or @prad<200010226) and(password with (record$3 or replay or capture$2 or steal$3 or stolen or protect$3 or trojan))and ((stop$3 or halt$3 or paus$2 or cease$2 or terminat$3 or block$2 or freez$2 or hold) with (program$2 or virus$2 or routin$2 or process$2 or module$1))	USPAT	2004/06/24 14:14
–	1	(@ad<20010226 or @rlad<20001226 or @prad<200010226) and ((password with (record$3 or replay or capture$2 or steal$3 or stolen or protect$3 or trojan))and ((stop$3 or halt$3 or paus$2 or cease$2 or terminat$3 or block$2 or freez$2 or hold) with (program$2 or virus$2 or routin$2 or process$2 or module$1))).ab.	USPAT	2004/06/24 14:36
–	20	(@ad<20010226 or @rlad<20001226 or @prad<200010226) and (password with trap)	USPAT	2004/06/24 14:18
–	1690	(@ad<20010226 or @rlad<20001226 or @prad<200010226) and ((password with (record$3 or replay or capture$2 or steal$3 or stolen or protect$3 or trojan))and ((stop$3 or halt$3 or paus$2 or cease$2 or terminat$3 or block$2 or freez$2 or hold) with (program$2 or virus$2 or routin$2 or process$2 or module$1)))	USPAT	2004/06/24 14:36
–	117	(@ad<20010226 or @rlad<20001226 or @prad<200010226) and ((password with (record$3 or replay or capture$2 or steal$3 or stolen or protect$3 or trojan)) same ((stop$3 or halt$3 or paus$2 or cease$2 or terminat$3 or block$2 or freez$2 or hold) with (program$2 or virus$2 or routin$2 or process$2 or module$1)))	USPAT	2004/06/24 14:36
–	127	(@ad<20010226 or @rlad<20001226 or @prad<200010226) and ((password with (record$3 or replay or capture$2 or steal$3 or stolen or protect$3 or trojan)) same ((stop$3 or halt$3 or paus$2 or cease$2 or terminat$3 or block$2 or freez$2 or hold or disable) with (program$2 or virus$2 or routin$2 or process$2 or module$1)))	USPAT	2004/06/24 14:56
–	35	(@ad<20010226 or @rlad<20001226 or @prad<200010226) and ((contr$3 adj alt$1 adj del$3))	USPAT	2004/06/24 21:20
–	6	(@ad<20010226 or @rlad<20001226 or @prad<200010226) and ("smart card" with password with secur$3) and NT	USPAT	2004/06/24 21:47
–	12	(@ad<20010226 or @rlad<20001226 or @prad<200010226) and ("smart card" with password) and NT	USPAT	2004/06/24 21:47
–	201	(@ad<20010226 or @rlad<20001226 or @prad<200010226) and ("smart card" with password)	USPAT	2004/06/24 21:46

–	8	(@ad<20010226 or @rlad<20001226 or @prad<200010226) and (login with token and NT)and card	USPAT	2004/06/24 21:46
–	1	(6038551.pn.) and (token with password)and (token same card)	USPAT	2004/06/24 21:33
–	2143	(6038551.pn.) and (token with password) (token same card)	USPAT	2004/06/24 21:33
–	0	(6038551.pn.) and (token with password same card)	USPAT	2004/06/24 21:33
–	0	(6038551.pn.) and (token same password same card)	USPAT	2004/06/24 21:33
–	1	(6038551.pn.) and (token with card)	USPAT	2004/06/24 21:33
–	15	(@ad<20010226 or @rlad<20001226 or @prad<200010226) and (login with token and NT)	USPAT	2004/06/24 21:36
–	5	(@ad<20010226 or @rlad<20001226 or @prad<200010226) and (login with "smart card" and NT)	USPAT	2004/06/24 21:25
–	79	(@ad<20010226 or @rlad<20001226 or @prad<200010226) and (login and "smart card" and NT)	USPAT	2004/06/24 21:21
–	231	(@ad<20010226 or @rlad<20001226 or @prad<200010226) and (login and "smart card")	USPAT	2004/06/24 21:21
–	11	(windows with compatibility with (problem$1 or issue$1))and (@ad<20010226 or @rlad<20001226 or @prad<200010226)	USPAT; US-PGPUB; EPO	2004/07/12 10:07
–	23	(windows with compatib$5 with (problem$1 or issue$1))and (@ad<20010226 or @rlad<20001226 or @prad<200010226)	USPAT; US-PGPUB; EPO	2004/07/12 10:10
–	417	(smart with card with log$3)and (@ad<20010226 or @rlad<20001226 or @prad<200010226)	USPAT; US-PGPUB; EPO	2004/07/12 10:10
–	394	(smart adj card with log$3)and (@ad<20010226 or @rlad<20001226 or @prad<200010226)	USPAT; US-PGPUB; EPO	2004/07/12 10:11
–	193	((smart adj card with log$3)and (@ad<20010226 or @rlad<20001226 or @prad<200010226)) and authenticat$3	USPAT; US-PGPUB; EPO	2004/07/12 10:10
–	2	(smart adj card with log$3).ti.and (@ad<20010226 or @rlad<20001226 or @prad<200010226)	USPAT; US-PGPUB; EPO	2004/07/12 10:11
–	9	(smart adj card with (login or log or logon)).ab.and (@ad<20010226 or @rlad<20001226 or @prad<200010226)	USPAT; US-PGPUB; EPO	2004/07/12 10:12
–	9	(smart adj card with (login or log or logon)).ab. and (@ad<20010226 or @rlad<20001226 or @prad<200010226)	USPAT; US-PGPUB; EPO	2004/07/12 10:31
–	3	(smart adj card with (login or log or logon)).ab. and (@ad<20010226 or @rlad<20001226 or @prad<200010226)	USPAT	2004/07/12 10:34
–	34	(smart adj card with (authenticat$3)).ab. and (@ad<20010226 or @rlad<20001226 or @prad<200010226)	USPAT	2004/07/12 12:00

L Number	Hits	Search Text	DB	Time stamp
1	3	("5664099" "6185681" "5534857").pn.	USPAT	2004/07/12 12:00
-	49	(indicia) with (password)	USPAT	2004/06/22 09:39
-	8	(@ad<20001130 or @rlad<20001130 or @prad<200001130)and (indicia with (logon or login or authent$5) with password)	USPAT; US-PGPUB; EPO; JPO	2004/06/23 16:18
-	277	(@ad<20001130 or @rlad<20001130 or @prad<200001130)and (indicia with (logon or login or authent$5))	USPAT; US-PGPUB; EPO; JPO	2004/06/22 10:49
-	0	(@ad<20001130 or @rlad<20001130 or @prad<200001130)and (login with window with NT)	USPAT; US-PGPUB; EPO; JPO	2004/06/23 16:18
-	50	(@ad<20001130 or @rlad<20001130 or @prad<200001130)and (login with windows with NT)	USPAT; US-PGPUB; EPO; JPO	2004/06/23 18:17
-	2	(@ad<20001130 or @rlad<20001130 or @prad<200001130)and (((last or previous) adj user adj name))	USPAT; US-PGPUB; EPO; JPO	2004/06/23 18:25
-	1	(@ad<20001130 or @rlad<20001130 or @prad<200001130)and ((login same (last or previous) adj user adj name))	USPAT; US-PGPUB; EPO; JPO	2004/06/23 18:25
-	114	(@ad<20001130 or @rlad<20001130 or @prad<200001130)and (windows adj NT same login)	USPAT; US-PGPUB; EPO; JPO	2004/06/23 18:18
-	10	(@ad<20001130 or @rlad<20001130 or @prad<200001130)and (windows adj NT same (login same user adj name))	USPAT; US-PGPUB; EPO; JPO	2004/06/23 18:22
-	0	(@ad<20001130 or @rlad<20001130 or @prad<200001130)and (NT same (login same (last or previous) adj user adj name))	USPAT; US-PGPUB; EPO; JPO	2004/06/23 18:23
-	1	(@ad<20001130 or @rlad<20001130 or @prad<200001130)and (windows adj NT and (last adj user adj name))	USPAT; US-PGPUB; EPO; JPO	2004/06/23 18:18
-	0	(@ad<20001130 or @rlad<20001130 or @prad<200001130)and (windows adj NT same (last adj user adj name))	USPAT; US-PGPUB; EPO; JPO	2004/06/23 18:18
-	0	(@ad<20001130 or @rlad<20001130 or @prad<200001130)and (windows adj NT same (login same last adj user adj name))	USPAT; US-PGPUB; EPO; JPO	2004/06/23 18:19
-	7444	(@ad<20001130 or @rlad<20001130 or @prad<200001130)and (windows adj NT)	USPAT; US-PGPUB; EPO; JPO	2004/06/23 18:17
-	3273086	(@ad<20010226 or @rlad<20001226 or @prad<200010226) ((stop$3 or halt$3 or paus$2 or cease$2 or terminat$3 or block$2 or freez$2 or hold) with (program$2 or virus$2 or routin$2 or process$2 or module$1)).ab. and (password with (record$3 or replay or capture$2 or steal$3 or stolen or protect$3)).ab.	USPAT	2004/06/24 13:55
-	3273086	(@ad<20010226 or @rlad<20001226 or @prad<200010226) ((stop$3 or halt$3 or paus$2 or cease$2 or terminat$3 or block$2 or freez$2 or hold) with (program$2 or virus$2 or routin$2 or process$2 or module$1)).ab. and (password with (record$3 or replay or capture$2 or steal$3 or stolen or protect$3))	USPAT	2004/06/24 13:55
-	431	"L26" and (stop$3 or halt$3 or paus$2 or cease$2 or terminat$3 or block$2 or freez$2 or hold)	USPAT	2004/06/24 13:49
-	26	(@ad<20010226 or @rlad<20001226 or @prad<200010226)and (password with (record$3 or replay or capture$2 or steal$3 or stolen or protect$3)).ti.	USPAT	2004/06/24 13:49
-	145	(@ad<20010226 or @rlad<20001226 or @prad<200010226)and (password with (record$3 or replay or capture$2 or steal$3 or stolen or protect$3)).ab.	USPAT	2004/06/24 13:43

–	3282052	(@ad<20010226 or @rlad<20001226 or @prad<200010226) ((stop$3 or halt$3 or paus$2 or cease$2 or terminat$3 or block$2 or freez$2 or hold) with (program$2 or virus$2 or routin$2 or process$2 or module$1))	USPAT	2004/06/24 13:54
–	40	(@ad<20010226 or @rlad<20001226 or @prad<200010226) and ((spoof$3) same password)	USPAT	2004/06/24 13:10
–	3077	(@ad<20010226 or @rlad<20001226 or @prad<200010226)and (password with (record$3 or replay or capture$2 or steal$3 or stolen or protect$3)) and (stop$3 or halt$3 or paus$2 or cease$2 or terminat$3 or block$2 or freez$2 or hold)	USPAT	2004/06/24 13:49
–	1690	(@ad<20010226 or @rlad<20001226 or @prad<200010226) and ((password with (record$3 or replay or capture$2 or steal$3 or stolen or protect$3)) and ((stop$3 or halt$3 or paus$2 or cease$2 or terminat$3 or block$2 or freez$2 or hold) with (program$2 or virus$2 or routin$2 or process$2 or module$1)))	USPAT	2004/06/24 14:12
–	559	(713/202).ccls. and (@ad<20010226 or @rlad<20001226 or @prad<200010226)	USPAT	2004/06/24 13:00
–	127	(microsoft).as. and (@ad<20010226 or @rlad<20001226 or @prad<200010226) and (windows or NT or "2000") and password	USPAT	2004/06/24 13:10
–	1500	(713/155,164,168,169,170,202).ccls.	USPAT	2004/06/24 12:58
–	6	(@ad<20010226 or @rlad<20001226 or @prad<200010226)and ((logon or login or authent$5) with (halt$3 or stop$2 or freez$3)) and (713/155,164,168,169,170,202).ccls.	USPAT	2004/06/24 12:55
–	131	(@ad<20010226 or @rlad<20001226 or @prad<200010226)and ((logon or login or authent$5) with (halt$3 or stop$2 or freez$3))	USPAT	2004/06/24 12:36
–	1054	(local adj security adj authority or LSA) and (@ad<20010226 or @rlad<20001226 or @prad<200010226)	USPAT	2004/06/24 13:01
–	305	((local adj security adj authority) or LSA) and (@ad<20010226 or @rlad<20001226 or @prad<200010226) and (windows or NT or "2000")	USPAT	2004/06/24 13:03
–	3273441	(@ad<20010226 or @rlad<20001226 or @prad<200010226) ((stop$3 or halt$3 or paus$2 or cease$2 or terminat$3 or block$2 or freez$2 or hold) with (program$2 or virus$2 or routin$2 or process$2 or module$1)).ab.	USPAT	2004/06/24 13:54
–	0	((local adj security adj authority) or LSA) and (@ad<20010226 or @rlad<20001226 or @prad<200010226) and (713/202).ccls.	USPAT	2004/06/24 13:02
–	817	((713/155,164,168,169,170,202).ccls.) and password	USPAT	2004/06/24 12:57
–	2	(@ad<20010226 or @rlad<20001226 or @prad<200010226)and ((logon or login or authent$5) with (halt$3 or stop$2 or freez$3) with program)	USPAT	2004/06/24 12:36
–	1	((local adj security adj authority)) and (@ad<20010226 or @rlad<20001226 or @prad<200010226) and (windows or NT or "2000")	USPAT	2004/06/24 13:06
–	3294	(@ad<20010226 or @rlad<20001226 or @prad<200010226)and (password with (record$3 or replay or capture$2 or steal$3 or stolen or protect$3))	USPAT	2004/06/24 13:43
–	1054	((local adj security adj authority) or LSA) and (@ad<20010226 or @rlad<20001226 or @prad<200010226)	USPAT	2004/06/24 13:02